


THAQAB

BEYOND the name ...

Ath THAQAB is an abandoned village in Qatar, located in the municipality of Ash Shamal (north), approximately 110 km away from the capital Doha. Ath THAQAB Fort is rectangular in shape and has four towers. A courtyard with stairs leading to the towers are in the center of the fort. It dates to somewhere between the 17th and 19th century

The word THAQAB has an intriguing meaning which refers to "the water in the bottom of the valley after the rain". To the west of the fort, there is a deep well. Villagers used to get their water from this well which is a very precious commodity in the desert. So it is believed that the fort was built to guard that well and provide shelter to villagers.



THAQAB SERIES

SERIES 1



THAQAB
Floodlight 30-400W

THAQAB SERIES



THAQAB



THAQAB is series of projectors to be mounted on pole system, wall, floor. Available in several sizes, rotatable and inclinable on the vertical axis, they are designed for the lighting of parking lots, cycle paths, squares, façades, green areas, perimeter areas and other architectural elements in general thanks to a wide range of optics and wattages. It comes with a series of accessories that ensure different type of mounting.

Product Benefits:

- Up to 100, 000hrs @ L70, low maintenance cost.
- World class, approbated quality components (LEDs /Driver /etc.)
- Equipped with vent to avoid internal fogging and frosting.
- Wide choice of optics to suit more applications (asymmetrical and symmetrical)
- Buckle design makes it very easy for further maintenance.

IP66

5 YRS
Warranty

IK08


1-10V

30 - 400
WATTS

220-240V

DALI

PHYSICAL	
Body	High pressure die-cast aluminum
Finish	Grey (Default) /Black (available on request)
OPTICAL	
Optic	UV resistant PC
Light Distribution	25°, 60°, 90°, 120° or Asymmetrical
Diffuser	Tempered glass
ELECTRICAL	
Lamp	LED
Color Rendering	>70
Color Temperature	3000K,4000K,5000K,5700K
Gear	220-240 VAC 50-60Hz
	1-10V dimming or DALI available on request
Protection	Class I/II
Ambient Temp.	-40°C ~ 50°C
Ambient Humidity	10% ~ 90%



ORDERING CODE

SERIES NAME - PRODUCT RANGE - CCT - OPTICS - CONTROL - ACCESSORIES





THAQAB	MINI 1	30 3000K	SET101 25°	1 ON-OFF	NA NO ACCESSORIES
	MINI 2	40 4000K	SET102 60°	2 I-10V	PH PHOTOCCELL
	MINI 3	50 5000K	SET103 90°	3 DALI	PS PIR SENSOR
	MIDI 1	57 5700K	SET104 120°		SM SMART CONTROLLER
	MIDI 2		SET105 Assymetrical		PA POLE ADAPTER
	MIDI 3		SET106 Assymetrical		CB CLAMP BRACKET
	MIDI 4				MA MOUNTING ARM
	MAXI 1				ES EXTRA 10KV
	MAXI 2				
	MAXI 3				
	MAXI 4				
	XL 1				
	XL 2				

THAQAB MINI

THAQAB MIDI

THAQAB MAXI

THAQAB XL



THAQAB SERIES

	Rated Power(W)	Lumen(lm)	Dimensions(mm)
THAQAB MINI 1	30W	4650lm	L226xW81xH345mm
THAQAB MINI 2	40W	6000lm	L226xW81xH345mm
THAQAB MINI 3	50W	7000lm	L226xW81xH345mm
THAQAB MIDI 1	60W	9900lm	L321xW90xH447mm
THAQAB MIDI 2	80W	12800lm	L321xW90xH447mm
THAQAB MIDI 3	100W	14500lm	L321xW90xH447mm
THAQAB MIDI 4	120W	17400lm	L321xW90xH447mm
THAQAB MAXI 1	150W	24000lm	L378xW90xH495mm
THAQAB MAXI 2	180W	27900lm	L378xW90xH495mm
THAQAB MAXI 3	200W	29000lm	L378xW90xH495mm
THAQAB MAXI 4	240W	33600lm	L378xW90xH495mm
THAQAB XL 1	320W	51200lm	L378xW90xH495mm
THAQAB XL 2	400W	60000lm	L378xW90xH495mm


ACCESSORIES



PHOTOCELL




PIR SENSOR




SMART CONTROLLER




POLE ADAPTER



CLAMP BRACKET



MOUNTING ARM



EXTRA 10KV SPD