



TULIP SERIES

TULIP SERIES



IP44	220-240V	5 YRS Warranty	6-35 WATTS
------	----------	-------------------	---------------

Upon request

1-10V	DALI
-------	------

PHYSICAL

Body	Die cast aluminum
Finish	White RAL 9016

OPTICAL

Diffuser	Polycarbonate
Light Emission	Symmetrical
Aiming	Fixed
Beam Angle	15°, 24°, 36°

ELECTRICAL


Light source	LED CREE
CRI	>80 (90 available upon request)
CCT	3000K - 4000K - 6000K
Driver	Electronic included 50-60Hz 220-240VAC Non-Dimmable Driver 1-10V dimming or DALI on request
Ambient Temp.	-20°C - 45°C

TULIP SERIES adopts integrated design, it is easy to install, and the power is larger under the premise of the same size.


IP54 waterproof and honeycomb can be customized, mainly for direct lighting scenes.




TULIP 1.1




TULIP 1.2




TULIP 1.3




TULIP 1.4



TULIP 1.5



TULIP 1.6



PRODUCT RANGE

	Rated Power(W)	Lumen(lm)	Beam Angle	Dimensions(mm)	Dimensions(mm)
TULIP 1.1 (Lens)	6W	510lm	15°,24°,36°	Ø52.5xH55	Ø45xH55
TULIP 1.2 (Reflector Cup)	7W	595lm	15°,24°,36°	Ø52.5xH55	Ø45xH55
TULIP 2.1 (Lens)	8W	680lm	15°,24°,36°,50°	Ø65xH60	Ø55xH60
TULIP 2.2 (Reflector Cup)	10W	850lm	15°,24°,36°	Ø65xH60	Ø55xH60
TULIP 3.1 (Lens)	10W	850lm	15°,24°,36°,50°	Ø75xH70	Ø65xH70
TULIP 3.2 (Reflector Cup)	13W	1105lm	15°,24°,36°	Ø75xH70	Ø65xH70
TULIP 4.1 (Lens)	12W	1020lm	15°,24°,36°,50°	Ø85xH80	Ø75xH80
TULIP 4.2 (Reflector Cup)	18W	1530lm	15°,24°,36°	Ø85xH80	Ø75xH80
TULIP 5.1 (Lens)	20W	1700lm	15°,24°,36°,50°	Ø106xH100	Ø95xH100
TULIP 5.2 (Reflector Cup)	25W	2125lm	15°,24°,36°	Ø106xH100	Ø95xH100
TULIP 6.1 (Lens)	35W	2975lm	15°,24°,36°,50°	Ø135xH124	Ø120xH124
TULIP 6.2 (Reflector Cup)	40W	3400lm	15°,24°,36°	Ø135xH124	Ø120xH124

ORDERING CODE

SERIES NAME	PRODUCT RANGE	REFLECTOR FINISH	CCT	OPTICS	CONTROL	IP RATING
TULIP	1.1	C CHROME	30 3000K 15 15°	1 ON-OFF	44 IP44	
	1.2	S SAND SILVER	40 4000K 24 24°	2 I-10V	54 IP54	
	2.1	W MATT WHITE	60 6000K 36 36°	3 DALI		
	2.2	CG CHAMPAGNE GOLD	50 50°			
	3.1	PB PEARL BLACK				
	3.2	MB MATT BLACK				
	4.1					
	4.2					
	5.1					
	5.2					
	6.1					
	6.2					